



Coastal Resilience, Climate Adaptation, and
Sustainability Study

Outcomes Report

December 10, 2018

Prepared for:

Town of East Lyme, CT

Prepared by:

Stantec's Urban Places with Ecopolitan
Design

Acknowledgements

The Town of East Lyme engaged Stantec's Urban Places and Ecopolitan Design to prepare a Coastal Resilience, Climate Adaptation, and Sustainability Study (CRCASS) funded by a University of Connecticut Institute for Resilience & Climate Adaptation (CIRCA) Municipal Resilience Grant. CIRCA's mission is to increase the resilience and sustainability of vulnerable communities along Connecticut's coast and inland waterways to the growing impacts of climate change on the natural, built, and human environment. More information about CIRCA can be found at circa.uconn.edu.



Authors

Nels Nelson, Stantec's Urban Places
Larissa Brown, Stantec's Urban Places
Alexander J. Felson, Ecopolitan Design

Contributors

Hillary King, Stantec
Gary Sorge, Stantec

Thanks to

Gary Goeschel, Town of East Lyme
Victor Benni, Town of East Lyme
Bill Mulholland, Town of East Lyme
Katie Lund, CIRCA
Joseph MacDougald, UConn School of Law
Wayne Blaire, Crescent Beach
East Lyme Board of Selectmen

Table of Contents

EXECUTIVE SUMMARY	I
ABBREVIATIONS	III
GLOSSARY	IV
1.0 INTRODUCTION	1.1
1.1 PROJECT BACKGROUND	1.1
1.2 METHODOLOGY	1.1
2.0 HAZARDS AND VULNERABILITES	2.1
2.1 SEA LEVEL RISE.....	2.1
2.2 EXTREME WEATHER	2.3
3.0 COMMUNITY RESILIENCE TOOLBOX	3.4
3.1 POLICY UPDATES	3.4
3.1.1 Freeboard	3.4
3.1.2 Coastal AE Zone	3.5
3.1.3 Streamline flood permit applications.....	3.5
3.2 PRIORITY PROJECTS	3.5
3.2.1 Roadway alterations for emergency egress.....	3.6
3.2.2 Drainage improvements	3.7
3.2.3 Living shorelines	3.7
3.2.4 Critical infrastructure flood protection	3.9
3.2.5 Communication campaign.....	3.9
3.2.6 Land use change, acquisition, and conservation	3.9
4.0 IMPLEMENTATION	4.10
4.1 IMPLEMENTATION OVERVIEW.....	4.10
4.2 IMPLEMENTATION MATRIX	4.10
4.3 IMPLEMENTATION FUNDING SOURCES	4.11
5.0 MAP FIGURES	5.1
6.0 REFERENCES	6.13

LIST OF FIGURES

<i>Figure 1 The annual average sea level observed at Bridgeport, New London, and Willets Point between 1936 and 2016. The grey strip is set to zero. The straight red line represents a smoothed average increase of 4 mm/yr since 1976.</i>	<i>2.2</i>
<i>Figure 2 The blue line shows the extrapolated upper bound on the prediction interval for annual average sea level at the Long Island Sound tide gauges shown in Figure 1. The yellow line shows the upper bound of the IPCC simulation (2013). The orange and magenta lines are from NOAA’s 2013 CPO-1 report.</i>	<i>2.2</i>

<i>Figure 3 Building additional freeboard reduces flood insurance premiums. Graphic courtesy of FEMA.</i>	3.4
<i>Figure 4 The Coastal AE zone has wave heights between 1.5 and 3.0 feet. Graphic courtesy of FEMA.</i>	3.5
<i>Figure 5 Living shorelines build resilience by protecting land use and creating habitats. Graphic courtesy of Stantec.</i>	3.8
<i>Figure 6 Surface and ground water.</i>	5.2
<i>Figure 7 Agricultural land.</i>	5.3
<i>Figure 8 Land use.</i>	5.4
<i>Figure 9 Sensitive habitats.</i>	5.5
<i>Figure 10 Transportation.</i>	5.6
<i>Figure 11 Hurricane surge.</i>	5.7
<i>Figure 12 FEMA flood zones and areas of conflict.</i>	5.8
<i>Figure 13 FEMA flood zones and structures impacted by 24" of SLR.</i>	5.9
<i>Figure 14 Priority projects.</i>	5.10
<i>Figure 15 Evacuation zones (A and B) and major routes.</i>	5.11
<i>Figure 16 Critical infrastructure.</i>	5.12

Executive Summary

We prepared this study as a tool for the Town of East Lyme to use in updating flood-damage-prevention policies to account for climate change and sea level rise (SLR) and to establish priority projects for climate adaptation. Building resilience is about learning to adapt as changes take place—the risks of the past are not the risks of the future. The town is one of many communities along Long Island’s shores with coastal and inland areas that face increasing flood risk and sea level rise concerns. For many of these communities, housing, infrastructure, parks and critical facilities are being evaluated with the goal of adaptation and management over time. East Lyme has 639 structures in flood zones, and more structures will likely sit in flood zones as they are revised to account for rising seas. Many coastal communities in Connecticut have already taken steps to change policies and plan projects that address resilience. This study provides near term recommendations to support smart local decisions and actions. Key recommendations are to update flood control policies and execute priority projects to reduce flood hazards and build resilience to changing conditions.

Policies

- **Adopt the State’s definition of freeboard** into East Lyme’s flood-control ordinance and zoning regulations. The planning threshold for sea level rise in Connecticut is 20 inches by 2050. The State of Connecticut passed a bill in 2018 to require a full two feet of freeboard for State-led projects, plus updated levels to be evaluated not more than every ten years. *Freeboard* represents a margin of safety, measured in number of feet, added to projected flood elevations with the goal of compensating for unknown factors that might push actual levels above projected heights. According to FEMA, the cost to property owners of adding freeboard is only 1-2% of the overall cost of elevating a structure. Owners can expect payback within 3 to 6 years due to reductions in flood insurance premiums based on the additional height.
- **Adopt a definition of Coastal AE Zones** and regulate properties within that zone to reflect the regulation of properties in V Zones. The Coastal AE Zone is an area with wave heights less than 3 feet but more than 1.5 feet. This change will bring the Town into compliance with the 2018 Connecticut State Building Code.
- **Streamline the flood-area development permit application** by including an easily understood checklist for applicants.

Priority projects

- **Critical roadway alterations for emergency access and climate adaptation:** Consider resilience building alterations on West Main Street at Bride Brook; Giants Neck Road south of the railroad corridor; Bush Hill Drive at Pattagansett River; Pine Grove Road; and Crescent Beach coastal roads.
- **Drainage improvements:** Address drainage issues on Hope Street and Black Point Road at Burnap Road to prevent flooding and associated insurance costs for property owners.
- **Living shorelines for coastal adaptation:** Stakeholders and previous studies identified priority actions as native shoreline planting; marsh enhancement at Pattagansett River; and beach enhancement and breakwater at the Niantic Bay Boardwalk area.

- **Critical infrastructure flood protection:** Evaluate the impact of SLR on pump stations already in flood hazard zones—as well as on other critical infrastructure—to protect these assets from extreme storms and flooding.
- **Communication campaign:** Start a communication campaign to educate property owners impacted by current and future flood risks.
- **Long-term land use change:** Include resilience recommendations in the upcoming Plan of Conservation and Development update, including long-term changes in land use. Funding sources exist to support Town acquisition of flood-damaged properties for conservation.

Abbreviations

BFE	Base flood elevation
CIRCA	University of Connecticut Institute for Resilience & Climate Adaptation
C.G.S.	Connecticut General Statutes
CJL	Coastal jurisdiction line
CRCASS	Coastal Resilience, Climate Adaptation, and Sustainability Study
DFE	Design flood elevation
FEMA	Federal Emergency Management Administration
FIRM	Flood Insurance Rate Map
FT	Linear feet
HMP	Hazard Mitigation Plan
IPCC	Intergovernmental Panel on Climate Change
NOAA	National Oceanic and Atmospheric Administration
NAVD88	North American Vertical Datum of 1988
NFIP	National Flood Insurance Program
POCD	Plan of Conservation and Development
SF	Square feet
SFHA	Special Flood Hazard Area
SI/SD	Substantial improvement and substantial damage
SLR	Sea level rise
TNC	The Nature Conservancy
UConn	University of Connecticut

Glossary

100-year flood	This also goes by “1%-annual-chance flood,” since it has a 1% probability of occurring in any given year. Based on the area covered in an expected 100-year flood, FEMA maps show an area of inundation referred to as the “100-year floodplain.”
500-year flood	A 500-year flood has the same definition as a 100-year flood, except that only has a 0.2% probability of occurring in any given year. It represents a more conservative (but also more extreme) projection than the 100-year flood level and serves as a crucial benchmark for evaluating the vulnerability of critical infrastructure.
Base flood	A flood with a 1-percent chance of being equaled or exceeded in any given year, commonly referred to as the “100-year flood.” The NFIP and all federal agencies use the base flood as the national standard for the purchase of flood insurance and for regulation of new development.
Base flood elevation (BFE)	The height of the base (1-percent annual chance or 100-year) flood in relation to a specified datum.
Federal Emergency Management Agency (FEMA)	The federal agency that, in addition to carrying out other activities, administers the National Flood Insurance Program.
Flood Insurance Rate Map (FIRM)	The official map of a community on which FEMA has delineated both special flood hazard areas (SFHAs) and the risk-premium zones.
Freeboard	A safety factor, expressed in feet above BFE, that takes into account unknown factors that might produce flooding beyond the calculated height. Among other things, these factors can include ice jams, debris accumulation, wave action, obstruction of bridge openings and floodways, the effects of urbanization on the hydrology of a watershed, and loss of flood storage due to development and sedimentation of a watercourse bed.
Lowest floor	The lowest floor of the lowest enclosed area of a building, including a basement. Any NFIP-compliant unfinished or flood-resistant enclosure used solely for vehicle parking, building access, or storage (other than a basement) does not qualify as a building’s lowest floor, provided the enclosure doesn’t put the structure in violation of other NFIP design requirements.
Special Flood Hazard Area (SFHA)	Land areas subject to a 1% or greater chance of flooding in any given year. These areas appear on FIRMs as Zones AE, A1-A30, A99, AR, AO, AH, V, VO, VE, or V1-30. Mapped zones outside of the SFHA are Zone X (shaded or unshaded), B, or C.
Substantial damage	Any kind of damage sustained by a structure whereby the cost of restoring the structure to its before-damaged condition would equal or exceed 50 percent of the structure’s market value before the damage occurred. A determination of substantial damage means that repair work qualifies as substantial improvements, regardless of actual repair work performed.

Substantial improvement

Any reconstruction, rehabilitation, addition, or other improvement of a structure, the cost of which equals or exceeds 50 percent of the market value of the structure (or smaller percentage if established by the community) before the "start of construction" for the improvement. This term covers structures that have incurred "substantial damage," regardless of actual repair work performed.

1.0 INTRODUCTION

1.1 Project background

This study addresses climate change impacts in East Lyme, Connecticut. East Lyme can expect to feel climate change effects as coastal and inland flooding and as related impacts on land use, ecosystems, agriculture, transportation, infrastructure, energy, and the economy. Study recommendations aim to improve East Lyme's resilience and sustainability by establishing sound policies and identifying priority projects.

Resilience represents a system's ability to respond to chronic stresses and acute shocks, while also adapting to changing environments like sea level rise. *Sustainability* reflects a system's ability to endure and relates closely to reducing our impacts on planetary resources for the benefit of future generations. Resilient and sustainable projects, whether a single house or extensive municipal infrastructure, should improve the community's quality of life, reduce net impact on the environment, preserve habitats, and reduce contributions to climate change by reducing greenhouse gas emissions and preparing for short-term and long-term hazards.

1.2 Methodology

The consultants conducted a literature review, data analysis, stakeholder interviews, town tour, and public engagement. A list of reviewed documents and data sources appears in the References section. The team interviewed key stakeholders in person and by phone. Town staff gave the consultants a tour of relevant areas of town, including various facilities, with the goal of giving the consultants a comprehensive understanding of the town, sustainability challenges, and constraints related to climate change impacts. The consultant team solicited public input at key points in the decision-making process, including through a public consultation meeting held at the Community Center on November 8, 2018. The process also included interviews of East Lyme's Town Engineer, Zoning Officer, Building Official, Fire and Police chiefs, and staff from the Department of Public Works and Utilities; a Planning Board meeting; and a Board of Selectmen meeting.

2.0 HAZARDS AND VULNERABILITES

2.1 Sea level rise

The 2017 update of the Hazard Mitigation Plan (HMP) documented East Lyme's vulnerability to natural hazards, including sea level rise. Shortly after the HMP's adoption, UConn published the Statutory Adoption of Updated Sea-Level Rise Scenarios (2018).

Tide gauge data in Connecticut dates back to 1936. These historic data demonstrate that the sea level had been rising in Long Island Sound for decades. Since 1976, the readings have shown an increase of 4 millimeters per year (roughly 1 inch every 6 years). Combining these data with global-warming projections, the State of Connecticut has adopted a planning threshold of 20 inches of sea level rise above 2001 levels by 2050. In practice, the State requires all projects to plan for a full 2 feet (24 inches) of safety above the already-established flood elevations to account for projected sea level rise.

Hazards and vulnerabilities




Figure 1 The annual average sea level observed at Bridgeport, New London, and Willets Point between 1936 and 2016. The grey strip is set to zero. The straight red line represents a smoothed average increase of 4 mm/yr since 1976.




Figure 2 The blue line shows the extrapolated upper bound on the prediction interval for annual average sea level at the Long Island Sound tide gauges shown in Figure 1. The yellow line shows the upper bound of the IPCC simulation (2013). The orange and magenta lines are from NOAA's 2013 CPO-1 report.¹

Sea level rise will hit low-lying areas in East Lyme the hardest. See Figure 12 for a map of FEMA flood zones and structures affected by 24" of SLR. These include, from west to east, Giants Neck, Black Point, the area from Attawan

¹ Sea Level Rise in Connecticut, James O'Donnell, Department of Marine Sciences and Connecticut Institute for Resilience and Climate Adaptation, 2018. IPCC (2013) Climate Change. NOAA (2013) National Coastal Population Report.

Beach to Crescent Beach and McCook Point Park, marinas on the Niantic River, Smith Cove, Bishops Bay Road, and the Banning Cove area around Route 1.

As the sea level rises, The Nature Conservancy (TNC) forecasts that by 2080, rising waters will advance on an additional 364 acres of the land in town. Eighty-nine percent of that area remains undeveloped, making it suitable for wetland migration—that is, creation of a new salt marsh. The State of Connecticut, land trusts, or the Town already control 88% of the suitable mitigation area, much of which lies within Rocky Neck State Park.

2.2 Extreme weather

East Lyme has experienced extreme weather events and will very likely experience more extreme storm events as a result of climate change. In October 2012, Hurricane Sandy caused significant coastal flooding, for example, along Oak Grove Beach and Crescent Beach. FEMA establishes flood-risk boundaries for 1%-annual-chance storm events. FEMA projects that a 1%-annual-chance storm would bring approximately four additional feet of inundation from storm surge—even higher than “super storm” Sandy’s impact. According to East Lyme’s FIRM, 639 structures would suffer direct impacts in a 1%-annual-chance storm.

Extreme weather in East Lyme contributes to inland flooding. Structures in FEMA’s flood hazard areas (Figure 11) extend well back from the coast. From west to east, FEMA flood areas at Fourmile River, Bride Brook, Pattagansett River, and Larimer Brook all contain at-risk structures.

SLR magnifies the impacts of extreme weather events. In the case of the 1%-annual-chance storm, 4 feet of storm surge on top of 2 feet of SLR yields 6 feet of inundation. Research suggests that the U.S. will experience more intense hurricanes that carry higher wind speeds and more precipitation as a result of global warming.² East Lyme can preemptively address future powerful storms and higher seas by addressing coastal resilience today.

² USGCRP, 2017: Climate Science Special Report: Fourth National Climate Assessment, Chapter 9: Extreme Storms.

3.0 COMMUNITY RESILIENCE TOOLBOX

This resilience toolbox provides recommended options for mitigating flooding that results from climate-change driven increases in precipitation and sea level.

3.1 Policy updates


3.1.1 Freeboard

Figure 3 Building additional freeboard reduces flood insurance premiums. Graphic courtesy of FEMA.

East Lyme should consider strengthening its Flooding Damage Prevention Ordinance and Zoning Regulations (Section 15: Flood Hazard Areas)³ to improve safety by requiring additional freeboard. Freeboard compensates for sea level rise and other factors that may lead to flood heights above those projected by FEMA.

To bring the Town Ordinance in line with the State’s definition of freeboard (C.G.S. Sec. 8. Section 25-68b), the Town should consider adopting freeboard of 2 feet above base flood elevation (BFE) in Special Flood Hazard Areas (SFHAs). The 2018 update of the C.G.S. established two feet of freeboard for all State projects, plus reconsideration of sea level change projections at least once every ten years. East Lyme’s policy could align with the State’s, thereby updating the freeboard periodically to reflect the latest scientific evidence.

The Town should consider granting additional height in the zoning regulation for properties in SFHAs to avoid penalizing them for complying with the freeboard requirement. Currently, structures elevated to meet the new freeboard requirements under the Flood Hazard Ordinance bump up against height restrictions in zoning that limit the distance allowed between grade (ground elevation) and the top of a building, typically the highest point on the roof. Elevating a structure to protect it from flood damage and meet the freeboard requirements could make the structure nonconforming, as the elevating piles may push the highest point on the roof too far above grade to stay within the zoning height limit. Under current procedure, the Zoning Commission administers requests for relief based upon the hardship. An increase in freeboard requirements could push many homes above the height restriction, meaning that revision of the zoning regulation could offer a more efficient and transparent accommodation than dealing with requests on a case-by-case basis. If East Lyme elects to adjust the height requirement in SFHAs, it can profit from the way other Connecticut coastal communities have



³ Last updated May 17, 2018

addressed this issue. The 2018 white paper *Height Restrictions on Elevated Residential Buildings in Connecticut Coastal Floodplains* offers many applicable examples.⁴

3.1.2 Coastal AE Zone

The NFIP considers coastal flood hazards in two different zones on FIRMs. Zone VE is the coastal high-hazard area with wave heights equal to or greater than 3 feet. Coastal AE zone has wave heights of less than 3 but more than 1.5 feet. Due to the high risk of structural damage, buildings within Zone VE must adhere to more stringent building requirements by default. The recently-adopted (October 2018) Connecticut State Building Code follows FEMA's guidance and treats both the zones similarly, requiring all areas with moderate wave heights to comply with the more stringent building requirements.




Figure 4 The Coastal AE zone has wave heights between 1.5 and 3.0 feet. Graphic courtesy of FEMA.

East Lyme should adjust the definition of coastal high-hazard areas to include the Coastal AE Zone, thus conforming to the new State building code and FEMA's recommendations. The most significant change would involve adding the definition of Coastal AE zones to the ordinance and a new requirement for regulating the zone to the same standards as a VE Zone. This policy provides a greater level of protection for new or substantially-improved structures and protects nearby structures from damage caused by debris.

3.1.3 Streamline flood permit applications

The Town should update its Floodplain Development Permit Application to match the recommended ordinance changes and to streamline the application process with specific instructions for completing a checklist of applicable features. The application should create clarity around issues that have applicants have previously found confusing, such as calculating substantial improvement / substantial damage (SI/SD) with appraised market value rather than assessed value. FEMA provides guidance on ordinance administration, including a model Floodplain Development Permit Application (revised 2007).

3.2 Priority projects

Figure 13 provides an overview of this plan's recommended priority projects.

⁴ CIRCA, UConn School of Law, 2018. Height Restrictions on Elevated Residential Buildings in Connecticut Coastal Floodplains. Municipal Resilience Planning Assistance Project Law & Policy White Paper Series.

3.2.1 Roadway alterations for emergency egress

Roadway closures are the most common result of coastal flooding in East Lyme. When deciding whether to elevate or abandon roads the Town must take into account emergency access and egress alternatives as described in the 2017 Hazard Mitigation Plan Update.

East Lyme's major state and federal roads—including Route 161, Route 1, and Interstate 95—are its preferred evacuation routes. The East Lyme Library / Community Center, at 39 Society Road, serves as the town's primary emergency shelter. School facilities function as secondary shelters.⁵

West Main Street

The point where West Main Street crosses Bride Brook is subject to coastal inundation coming through Rocky Neck State Park. This segment of West Main, part of State-operated Route 156, provides important emergency access. It sits adjacent to the I-95 access ramp, the state park entrance, and York Correctional Institution. ConnDOT and East Lyme should consider roadway alterations such as road raising that can extend the road's use during storms.

Giants Neck Road

Dell Lane and Edge Hill Road provide access to the relatively upland Giants Neck neighborhood during flooding. However, the lower-elevation area where Giants Neck Road crosses the railroad corridor could become inundated, isolating the neighborhood south of the railroad corridor. East Lyme should consider an emergency access plan that involves either altering this section of the road or providing another means of access over the upland area.

Bush Hill Drive

A single low bridge over Pattagansett River provides the sole access to the Bush Hill neighborhood, effectively a cul-de-sac with about 130 houses. High river levels already flood the bridge. East Lyme should consider altering the bridge to protect access during storms. Alternatively, the town could create a new access point to the neighborhood from nearby upland streets, such as Whiting Farm Lane or Romagna Road.

Pine Grove Road

The Pine Grove Neighborhood sits at the end of a peninsula with several structures in the SFHA. South of the neighborhood the Army National Guard's Camp Niantic blocks all access routes except for low-lying Pine Grove Road, which can flood during storms. From the standpoint of infrastructure, the most direct solution would establish access through Camp Niantic during emergencies when Pine Grove Road is flooded. The military does not typically welcome unannounced visitors, however, so the Town should be prepared to elevate Pine Grove Road if cannot negotiate a deal with Camp Niantic for emergency access.

Crescent Beach area roads

A low grade makes Crescent Beach one of the areas most susceptible to sea level rise in East Lyme. "King Tides" (exceptionally high tides) periodically flood Atlantic Avenue, parts of Ocean Avenue, parts of Bayview Avenue, and South Washington Street at Beach Avenue. For example, elevations along Atlantic Avenue reach as low as 4 feet and sit within a VE 12-foot flood zone. Frequent floods strain both the residents and the municipality. The town should consider gradually abandoning roadway segments that flood frequently. This process would eventually create a series of dead-end streets that terminate at the shore. As roads flood more often and undergo gradually phase-out,

⁵ East Lyme is currently in the CT Enhanced 9-1-1 database. East Lyme is also in the CT Alert Emergency Notification System (ENS) that allows residents to receive emergency alerts through a variety of media.

the Town should make provisions for resident parking in a nearby upland area, such as in or near McCook Point Park. Structures seaward of the abandoned roads are already in the process of being raised. As this process continues, a new elevated boardwalk could provide access to those structures.

3.2.2 Drainage improvements

Flooding due to poor drainage occurs in both upland and coastal areas. This study relied on stakeholder input to identify priority areas for improvement and did not conduct primary research into the condition of stormwater pipes, culverts, or other infrastructure.

Hope Street

Hope Street floods during heavy rain, including backing up into the new construction on Methodist Street. Addressing Hope Street would require comparison of the private and municipal stormwater pipe network connecting into potentially undersized state storm pipe network on Main Street.

Black Point Road at Burnap Road

Approximately 28 structures and condos sit in a FEMA flood zone near the intersection of Black Point and Burnap roads just south of the railroad corridor. Inundation in this area comes from Pattagansett River on the other side of the tracks. The water appears travel through a culvert at an unknown location. The town should assess this neighborhood for potential flood-control measures. For example, a backflow preventer might be sufficient to avoid flooding, protecting property owners from having to meet more onerous flood insurance requirements.

3.2.3 Living shorelines

East Lyme's existing shoreline contains many flood-control structures that do not qualify as "living." Private seawalls and bulkheads exist on Giants Neck, Seal Rock, Black Point, Attawan Beach, Crescent Beach, and Atlantic Avenue. Groins and jetties also exist in the beach areas, built in an attempt to retain land by preventing erosion. Finally, larger structures include breakwaters at Rocky Neck and the Amtrak-Metro North Railroad at Rocky Neck and the Pattagansett River estuary that protects landward areas from wave velocity.

The living shorelines approach represents an alternative to hardened adaptation. It enhances natural habitats using native plants, stone, sand fill, coir logs, and other materials. DEEP, CIRCA, TNC, and NOAA all recommend and promote living shorelines. This approach provides benefits including pollution remediation, fish and shellfish habitat enhancement, and shoreline protection. Examples of living shorelines projects include dune restoration, beach nourishment, coastal bank protection with natural materials and vegetated cover, marsh enhancement, and living breakwaters. Living shorelines typically fall within DEEP's jurisdiction, as they typically lie waterward of the Coastal Jurisdiction Line (CJL) or within tidal wetlands. The CJL is the jurisdiction line for activities requiring permits such as filling and structures. The CJL's elevation in East Lyme is 2.3' (NAVD88).⁶ The State's *Coastal Policies and Use Guidelines*, the foundational document for coastal work, contains information about policies such as protecting beach systems, navigation, natural shorelines processes, and tidal wetlands.

UConn and NOAA's CREST project⁷ modeled living shoreline site suitability for the Connecticut coast using fetch, bathymetry, erosion rates, marsh, and beach data as inputs. The project identified areas in East Lyme that could support beach enhancement, marsh enhancement, and offshore breakwaters, as described in more detail below.

⁶ https://www.ct.gov/deep/cwp/view.asp?a=2705&Q=511544&deepNAV_GID=1622

⁷ <https://circa.uconn.edu/crest/>




Figure 5 Living shorelines build resilience by protecting land use and creating habitats. Graphic courtesy of Stantec.

Native shoreline planting

The town should consider using native shoreline plants to control erosion and improve the water quality of runoff. Native plantings along the shoreline can replace grassy lawns that extend to the water's edge and can thrive around existing hardened structures, like seawalls. Native and adapted shoreline plants include beach plum, pin oak, red osier dogwood, sweet pepperbush, shadbush, beach grass, and big bluestem.

Marsh enhancement at Pattagansett River

Marsh enhancement is appropriate for low-wave-energy shorelines. Marsh enhancement includes adding new marsh plants to barren or eroding marsh areas, replacing marsh plants, and bank grading of non-vegetated intertidal areas. The CREST project and The Nature Conservancy's *Salt Marsh Advancement Zone Assessment of East Lyme* (2013) identified the banks of the Pattagansett River up to Main Street (Route 156) as an important marsh advancement zone with relatively few developed land cover conflicts. The town should consider acquiring undeveloped open spaces identified in the report for future conservation, including parcel "11.1 30" north of the intersection of Black Point Road and Fairhaven Road.

Beach enhancement and breakwater at the Niantic Bay Boardwalk area

Town stakeholders and the CREST project identified "the Bar" as a candidate for beach enhancement and the shallow basin in the cove as a candidate for habitat generation through the introduction of a breakwater. The west side of the basin should remain open for small boat travel to Hole-in-the-Wall beach. Beach enhancement takes a nonstructural design approach, such as beach nourishment appropriate for low-wave-energy shorelines. Dune grass has naturally begun to take root on the beach near the boardwalk. Dune grass areas should be formally adopted for sand retention and resilience to erosion. The town should consider using sand fencing (also known as snow fencing) to protect the dune grass and to encourage sand to settle on the dune. Sand fencing can help build up dunes, reducing hazards.

Offshore breakwaters—stone structures submerged offshore to moderate wave energy—have the effect of providing erosion protection and improving estuarine habitats. An offshore breakwater submerged in front of the Niantic Bay Boardwalk would protect the beach, investments in beach enhancement, the boardwalk, and railroad corridor while providing habitat for shellfish, including oysters and scallops.

The CREST project recommends another offshore breakwater at Black Point Beach, a private beach on Bathing Beach Road. The beach's private status militated against its classification as a priority project for the Town to include in implementation.

3.2.4 Critical infrastructure flood protection

Figure 15 shows that seven of East Lyme's pump stations sit in the 1%-annual-chance-storm flood zone. Furthermore, the pump stations on Black Point Road and Attawan Avenue sit in velocity zones (areas with wave heights greater than 3 feet). Critical infrastructure, like pump stations, with high risk of flooding and other hazards should receive top priority for protection. EPA's 2014 Guide for Water and Wastewater Utilities contains useful suggestions for preventing intrusion of flood water, protecting assets, and ensuring reliability. Resilience-building options available to East Lyme include construction of permanent or temporary barriers to flooding; to elevate or relocate instrumentation, electrical controls, computers and records; and to ensure backup power for pumps.

3.2.5 Communication campaign

Property owners in flood zones have a lot of changes to keep track of, from sea level rise to insurance premiums. The Town should consider a communication campaign to keep impacted property owners informed and educated regarding current regulations and vulnerability to flooding. Tools such as a communication packet are recommended to increase awareness of hazard mitigation and vulnerabilities at the sub-community level, as the threats from climate change are often hyperlocal. A communication packet could contain pertinent information regarding the sub-area's hazards, adaptation measures, supportive services, and other opportunities for land owners and tenants. Communications about the threats should have graphic representations of the hazard areas under future scenarios. A community communication plan could include public education and provide practical information and answers, such as how to adapt to sea level rise and where emergency shelters are. It will also be important to reach East Lyme's beach associations, as they are some of the most vulnerable to flooding.

3.2.6 Land use change, acquisition, and conservation

The upcoming update of East Lyme's Plan of Conservation and Development update (POCD), expected in 2020, presents an opportunity to discuss long-term land use changes with the community. The Town may consider policies that limit development and redevelopment in flood-prone areas while providing incentives to encourage development in upland areas.

In the wake of future floods, the Town may have opportunities to acquire properties with damaged structures from owners who don't choose to make repairs and continue living in hazard areas. FEMA's Pre-Disaster Mitigation, Hazard Mitigation Grant Program, Flood Mitigation Assistance, Repetitive Flood Claims, or Severe Repetitive Loss programs may make funds available for such acquisitions.

Implementation

4.0 IMPLEMENTATION

4.1 Implementation overview

The Planning Commission will act as the steward of this study. The commission will shall monitor progress, assess performance, maintain accurate information about implementation, and provide information to support status reporting, progress measurement, and forecasting. Monitoring and evaluation—including collecting, measuring, and assessing actual performance against the implementation matrix—should take place throughout implementation. The Planning Commission should revisit implementation progress at least once a year, but ideally more frequently. The commission should gather and evaluate data on progress for key performance indicators throughout the implementation process.

4.2 Implementation matrix

This implementation matrix lists recommended actions, action types, key performance indicators, and responsible parties, and provides a general timeframe for each action. Policies are established principles that define future actions, such as regulations. Projects are endeavors undertaken at a specific time to create a unique result. The implementation matrix should align the actions of Town departments, boards, and commissions with other government agencies.

Responsibility legend: Board of Selectmen (BOS), Building Department (BD), Conservation of Natural Resources Commission (CNRC), Emergency Management (EM), Harbor Management/Shellfish Commission (HMSC), Planning Commission (PC), Planning Department (PD), Private owners (PO), Public Works (PW), Water & Sewer Commission (WSC), Water & Sewer Utilities (WSU). Zoning Commission (ZC), Zoning Department (ZD), other State and Federal government agencies (OGA).

Implementation matrix

Recommendation	Action type	Key performance indicator	Responsibility	Priority
Update Flood Ordinance and Zoning Regulations to include freeboard and a definition of Coastal AE Zone.	Policy	Updated Flood Ordinance and Zoning Regulations	BOS, ZC, BD	High
Incorporated associations in East Lyme update their regulations to match the Town's.	Policy	Updated zoning regulations in incorporated associations	Incorporated associations	High
Streamline flood permit applications.	Policy	Updated permit application	ZD, BD	High
Alter roadways for climate adaptation and emergency access.	Project	Completed alterations of road segments at flood risk	PW, PC, BOS, EM, OGA	Moderate

Implementation

Improve drainage in targeted areas.	Project	Completed projects addressing drainage issues	PW, WSC, WSU	Moderate
Living shorelines: Native shoreline plantings.	Policy, Project	Increasing ratio of shoreline with native plantings to shoreline with hardened or non-native plantings	CNRC, HMSC, ZD, BD, PO	Ongoing
Living shorelines: Expand marsh at the Pattagansett River, including acquisition of open space parcel	Project	Acres of open space added for conservation	BOS, PD, PB	Moderate
Living shorelines: Enhance the beach and breakwater at the Bar.	Project	Implementation of living shoreline features	CNRC, HMSC, ZD, BD, PO, OGA	Moderate
Land use change: plan to use funding to acquire future flood-damaged property for sale.	Project	Number of damaged properties acquired	BOS, PD, PC, OGA	Ongoing
Protect critical infrastructure	Project	Completed critical infrastructure protection projects	WSC, WSU, PW	High
Communicate flood risk to impacted property owners	Policy, Project	Number of property owners reached through the communication campaign	PC, PD, ZC, ZD, BOS	Moderate
Integrate CRCASS recommendations into POCD update.	Policy	Updated POCD	PD, PC, BOS	By 2020

4.3 Implementation funding sources

Small Town Economic Assistance Program (STEAP)

The STEAP funds economic development, community conservation and quality of life projects for localities that are ineligible to receive Urban Action bonds. This program is administered by the Connecticut Office of Policy and Management. Towns may receive up to \$500,000 per year if they are not designated as a distressed municipality or a public investment community, and the State Plan of Conservation and Development does not show them as having a regional center.

Northeast Regional Ocean Council (NROC)

NROC is a state/federal partnership that facilitates the New England states, federal agencies, regional organizations, and other interested regional groups in their efforts to address ocean and coastal issues from a regional perspective.

Implementation

NROC builds capacity of New England communities through training and a small grants program to improve the region's resilience and response to impacts of coastal hazards and climate change.

National Oceanic and Atmospheric Administration (NOAA) Regional Coastal Resilience Grants

NOAA is committed to helping coastal communities address increasing risks from extreme weather events, climate hazards, and changing ocean conditions. To that end, NOAA's National Ocean Service is providing funding through competitive grant awards through the Regional Coastal Resilience Grants program. Awards are made for project proposals that advance resilience strategies, often through land and ocean use planning; disaster preparedness projects; environmental restoration; hazard mitigation planning; or other regional, state, or community planning efforts. Successful proposals demonstrate regional coordination among project stakeholders, leverage resources (such as funds, programs, partnerships, and others), and create economic and environmental benefits for coastal communities. Project results are evaluated using clear measures of success, with the end goal being improved preparation, response, and recovery. Eligible applicants include nonprofit organizations; institutions of higher education; regional organizations; private (for profit) entities; and local, state, and tribal governments

FEMA

Pre-Disaster Mitigation Program – The Pre-Disaster Mitigation program was authorized by Part 203 of the Robert T. Stafford Disaster Assistance and Emergency Relief Act (Stafford Act). The Pre-Disaster Mitigation program provides funds to states, territories, tribal governments, communities, and universities for hazard mitigation planning and implementation of mitigation projects prior to disasters, providing an opportunity to reduce the nation's disaster losses through pre-disaster mitigation planning and the implementation of feasible, effective, and cost-efficient mitigation measures.

Hazard Mitigation Grant Program – The Hazard Mitigation Grant Program is authorized under Section 404 of the Robert T. Stafford Disaster Relief and Emergency Assistance Act. The Hazard Mitigation Grant Program provides grants to states and local governments to implement long-term hazard mitigation measures after a major disaster declaration. The purpose of the Hazard Mitigation Grant Program is to reduce the loss of life and property due to natural disasters and to enable mitigation measures to be implemented during the immediate recovery from a disaster.

Flood Mitigation Assistance Program – The Flood Mitigation Assistance program was created as part of the National Flood Insurance Reform Act of 1994 with the goal of reducing or eliminating claims under the National Flood Insurance Program. FEMA provides Flood Mitigation Assistance funds to assist states and communities with implementing measures that reduce or eliminate the long-term risk of flood damage to buildings, homes, and other structures insurable under the National Flood Insurance Program.

U.S. Army Corp of Engineering

The U.S. Army Corps of Engineers provides 100% funding for floodplain management planning and technical assistance to states and local governments under several flood control acts and the Floodplain Management Services Program (FPMS). Specific programs used by the Corps for mitigation are listed below.

Section 205 – Small Flood Damage Reduction Projects – This section of the 1948 Flood Control Act authorizes the Corps to study, design, and construct small flood control projects in partnership with non-Federal government agencies. Feasibility studies are 100% federally-funded up to \$100,000, with additional costs shared equally. Costs for preparation of plans and construction are funded 65% with a 35% non-federal match. In certain cases, the non-

Implementation

Federal share for construction could be as high as 50%. The maximum federal expenditure for any project is \$7 million.

Section 14 – Emergency Streambank and Shoreline Protection – This section of the 1946 Flood Control Act authorizes the Corps to construct emergency shoreline and streambank protection works to protect public facilities such as bridges, roads, public buildings, sewage treatment plants, water wells, and non-profit public facilities such as churches, hospitals, and schools. Cost sharing is similar to Section 205 projects above. The maximum federal expenditure for any project is \$1.5 million.

Section 206 – Floodplain Management Services – This section of the 1960 Flood Control Act, as amended, authorizes the Corps to provide a full range of technical services and planning guidance necessary to support effective floodplain management. General technical assistance efforts include determining the following: site-specific data on obstructions to flood flows, flood formation, and timing; flood depths, stages, or floodwater velocities; the extent, duration, and frequency of flooding; information on natural and cultural floodplain resources; and flood loss potentials before and after the use of floodplain management measures.

Flood Mitigation Assistance is to reduce or eliminate claims under the National Flood Insurance Program through mitigation activities. The National Flood Insurance Program provides the funding for the Flood Mitigation Assistance program. One limitation of the Flood Mitigation Assistance program is that it is generally used to provide mitigation for structures that are insured or located in Special Flood Hazard Areas.

In addition, the Corps also provides emergency flood assistance (under Public Law 84-99) after local and state funding has been used. This assistance can be used for both flood response and post-flood response. Corps assistance is limited to the preservation of life and improved property; direct assistance to individual homeowners or businesses is not permitted. In addition, the Corps can loan or issue supplies and equipment once local sources are exhausted during emergencies.

U.S. Department of Housing and Urban Development (HUD): Community Development Block Grant (CDBG)

The Connecticut Department of Housing administers the CDBG program in Connecticut. The CDBG program provides financial assistance to eligible municipalities in order to develop viable communities by providing affordable housing and suitable living environments, as well as expanding economic opportunities, principally for persons of low and moderate income. It is possible that the CDBG funding program could be applicable for flood-proofing and elevating residential and nonresidential buildings, depending on eligibility of those buildings relative to the program requirements.

HUD: CDBG Disaster Recovery (CDBG-DR)

After disaster declarations, and when funds are appropriated to HUD and the Connecticut Department of Housing, the Town should apply for CDBG-DR grants.

Natural Resources Conservation Service (NRCS)

The NRCS provides technical assistance to individual landowners, groups of landowners, communities, and soil and water conservation districts on land use and conservation planning, resource development, stormwater management, flood prevention, erosion control and sediment reduction, detailed soil surveys, watershed/river basin planning and recreation, and fish and wildlife management. Financial assistance is available to reduce flood damage in small watersheds and to improve water quality. Two major programs are described below.

Implementation

Emergency Watershed Protection Program (EWP) – Through the EWP program, the U.S. Department of Agriculture's NRCS can help communities address watershed impairments that pose imminent threats to lives and property. Most EWP work is for the protection of threatened infrastructure from continued stream erosion. NRCS may pay up to 75% of the construction costs of emergency measures. The remaining costs must come from local sources and can be made in cash or in-kind services. No work done prior to a project agreement can be included as in-kind services or part of the cost share. EWP projects must reduce threats to lives and property; be economically, environmentally, and socially defensible; be designed and implemented according to sound technical standards; and conserve natural resources.

EWP Watersheds and Flood Prevention Operations – This program element contains two separate and distinct programs, "Watershed Operations" and "Small Watersheds." The purpose of these programs is to cooperate with state and local agencies, tribal governments, and other federal agencies to prevent damages caused by erosion, floodwater, and sediment and to further the conservation, development, utilization, and disposal of water and the conservation and utilization of the land. The objectives of these programs are to assist local sponsors in assessing conditions in their watershed, developing solutions to their problems, and installing necessary measures to alleviate the problems. Measures may include land treatment and structural and nonstructural measures. Federal cost sharing for installation of the measures is available. The amount depends upon the purposes of the project.

Connecticut Institute of Resilience and Climate Adaptation (CIRCA) Municipal Resilience Grant Program

Future funding for this program is not known. Previously, up to \$100,000 is available from CIRCA during each application cycle. Project proposals should develop knowledge or experience that is transferable to multiple locations in Connecticut and have well-defined and measurable goals. Additionally, preference is given to those projects that leverage multiple funding sources and that involve collaboration with CIRCA.

5.0 MAP FIGURES

Figure 6 Surface and ground water.





Figure 7 Agricultural land.



Service Layer Credits: CT ECO, MAGIC, Esri, HERE, DeLorme, MapmyIndia, © OpenStreetMap contributors, and the GIS user community
Date: 11/14/2018




Figure 8 Land use.





Figure 9 Sensitive habitats.



Service Layer Credits: CT ECO, MAGIC, Esri, HERE, DeLorme, MapmyIndia, © OpenStreetMap contributors, and the GIS user community
 Date: 11/14/2018





Figure 10 Transportation.



Service Layer Credits: CT ECO, MAGIC, Esri, HERE, DeLorme, MapmyIndia, © OpenStreetMap contributors, and the GIS user community
Date: 11/14/2018




Figure 11 Hurricane surge.




Figure 12 FEMA flood zones and areas of conflict.






Figure 13 FEMA flood zones and structures impacted by 24" of SLR.




Mean High Water (MHW) + 24"
(from CT ECO Coastal Hazards Viewer)

Service Layer Credits: CT ECO, MAGIC, CT DEEP
Esri, HERE, DeLorme, MapmyIndia, © OpenStreetMap contributors, and the GIS user community
Date: 11/26/2018



- Town Boundary
- Buildings within MHW+24"
- Structures (2012)
- Structures (2012) within FEMA Flood Zone
- Impervious Areas
- CoastalBoundary
- FEMA National Flood Hazard Layer (NFHL) Zones**
- A
- AE
- Coastal AE
- VE

Figure 14 Priority projects.



Service Layer Credits: CT ECO, MAGIC, FEMA NFHL, Esri, HERE, DeLorme, MapmyIndia, © OpenStreetMap contributors, and the GIS user community
 Date: 11/14/2018




Figure 15 Evacuation zones (A and B) and major routes.





Figure 16 Critical infrastructure.



6.0 REFERENCES

- **Literature review**
 - SCCOG 2017 Multi-Jurisdictional Natural Hazard Mitigation Plan Update, 2017 (and East Lyme annex)
 - Town of East Lyme, Plan of Conservation and Development, 2009
 - Town of East Lyme, Zoning Regulations, revised through May 17, 2018
 - UConn School of Law and CIRCA, Floodplain Building Elevation Standards, 2018
 - TNC, Adapting to the Rise: A Guide for Connecticut's Coastal Communities Joint Land Use Study, 2018
 - TNC, Niantic River Resilience Vision, 2017
 - TNC, Southeastern Connecticut Regional Resilience Guidebook, 2017
 - Town of East Lyme, Charter and Ordinances, revised through January 2014
 - Town of East Lyme, Zoning Regulations, revised through May 17, 2018
 - TNC, A Salt Marsh Advancement Zone Assessment of East Lyme, 2013
 - Town of East Lyme, Plan of Conservation and Development, revised through December 7, 2010
 - Town of East Lyme, Land of Unique Value Study, 2009
 - Town of East Lyme, Open Space Plan Report, 2009
 - Southeastern Connecticut Housing Alliance, East Lyme Affordable Housing Report, 2009
 - Town of East Lyme, Community Survey Report, 2007
 - Yale, East Lyme Urban Design Report, 1997
 - FEMA 213, Answers to Questions About Substantially Improved/Substantially Damaged Buildings (2018)
 - FEMA P-259, Engineering Principles and Practices of Retrofitting Floodprone Residential Structures, Third Edition (2012)
 - FEMA Technical Bulletin 10, Ensuring that Structures Built on Fill In or Near Special Flood Hazard Areas are Reasonably Safe From Flooding (2001)

- **Spatial data sources**
 - CRS Activity 501 Repetitive Loss Distribution List
 - CT ECO (accessed September 2018)
 - o CRITICAL_HABITAT_POLY
 - o NATURAL_DIVERSITY_DATABASE
 - o SOILS_FARMLAND_POLY
 - o FISHERIES_MANAGEMENT_AREA_LINE
 - o FISHERIES_MANAGEMENT_AREA_POLY
 - o FISHERIES_STREAM_SURVEY_SITE
 - o AQUIFER_PROTECTION_AREA
 - o SOILS_POLY
 - o WATERQUALITYCLASS_GROUND
 - o WATERQUALITYCLASS_SURFACE_LINE
 - o WATERQUALITYCLASS_SURFACE_POLY
 - o CT_HURRICANE_SURGE_INUNDATION
 - o FEMA_DFIRM_S_FLD_HAZ_AR
 - o ROADS2012
 - o BUILDINGS2012
 - o OTHERIMPERVIOUS2012
 - o CT_COASTAL_STRUCTURES_2015
 - o CT_SLAMMV2_INUNDFREQ_ROADS_JUSTWET
 - o CT_SLAMMV2_INUNDFREQ_ROADS_ALL
 - o HYDROGRAPHY_LINE
 - o HYDROGRAPHY_POLY
 - MAGIC (accessed September 2018)

- o STREETS
- o RAILROAD
- ARCGIS ONLINE (accessed September 2018)
 - o PARCELPOLYGON
 - o TOWN WELLS
 - o SEWER MAIN
 - o SEWER SHED
 - o AQUIFER PROTECTION DISTRICT
 - o ZONING