TION: TOWN OF EAST LYME, NEW LONDOI	N COUNTY, CONNECTICUT			
: GPDD (GATEWAY PLANNED DEVELOPME	ENT DISTRICT) AND GCMD (GATEWAY COMMONS	MASTER DEVELOPMENT PLAN)		
LIGHT MANUFACTURING FACILITIES (SPE THE FOLLOWING TO BE ALLOWED USES GHT INDUSTRIAL AND LIGHT MANUFACTU AREHOUSES AND WHOLESALE STORAGE	IN GPDD ZONE AND GCMD ZONE			
ITEM	GPDD REQUIREMENTS	GCMD REQUIRMENTS	PROPOSED	VARIANCE
MINIMUM LOT AREA	40,000 S.F.	20,000 S.F.	963,218 S.F. (22.11 AC.)	NO
MINIMUM LOT FRONTAGE	150 FEET	75 FEET	1,254 FEET	NO
MINIMUM FRONT SETBACK	25 FEET	10 FEET	25.8 FEET	NO
MAXIMUM FRONT SETBACK	50 FEET REMOVE MAXIMUM FRONT SETBACK	N/A	25.8 FEET	NO
MINIMUM SIDE SETBACK	20 FEET	20 FEET	185.2 FEET	NO
MINIMUM REAR SETBACK	20 FEET	20 FEET	95.0 FEET	NO
LANDSCAPE BUFFER BETWEEN CONTRASTING USE	20 FEET	20 FEET	50 FEET	NO
CEMETERY SETBACK	50 FEET	N/A	50 FEET	NO
FRONT LANDSCAPE BUFFER	8 FEET ALONG ANY PUBLIC STREET OR HIGHWAY	6 FEET ALONG ANY PUBLIC STREET OR HIGHWAY	8 FEET**	NO
SIDE LANDSCAPE BUFFER	8 FEET	20 FEET NON-RESIDENTIAL * 50 FEET FOR RESIDENTIAL ZONED PROPERTY	8 FEET	NO
REAR LANDSCAPE BUFFER	8 FEET	20 FEET NON-RESIDENTIAL * 50 FEET FOR RESIDENTIAL ZONED PROPERTY	50 FEET	NO
MAXIMUM BUILDING HEIGHT	40 FEET	40 FEET	< 40 FEET	NO
NDSCAPE PARKING PERIMETER BUFFER	10 FEET	10 FEET	12 FEET	NO
MAXIMUM BUILDING COVERAGE	40 PERCENT	40 PERCENT	19.1 PERCENT	NO
ACCESS POINTS	MINIMUM 2 POINTS OF ACCESS WHEN GREATER THAN 20 ACRES	MINIMUM 2 POINTS OF ACCESS	3 POINTS OF ACCESS	NO
ACCESS ROADS	BOULEVARD DESIGN 2 16 FEET ROADS WITH 8 FEET 5 FEET MEDIAN	BOULEVARD DESIGN 2 16 FEET ROADS WITH 8-FEET 5 FEET MEDIAN	5.5 FEET MEDIAN	NO
	N FROM THE PROPERTY LINE FOR MAINTENANCE	IATE FENCING, WALL, OR BERM WALL NOT LESS ACCESS	THAN 6 FEET	
S87°35′45"E ¬	E 43. / / /	Map 31.1 Lot 13  N/F state Of Delores Battalino Mucci  Vol. 744-Pg. 463	75	


ITEM	REQUIREMENTS	PROPOSED	VARIANCE
BUILDING SIZE	NONE REQUIRED	184,140 S.F.	NO
PARKING REQUIRED	LIGHT MANUFACTURING BUILDING:  1 SPACE PER EVERY 2 EMPLOYEES ON THE LARGEST SHIFT PLUS ONE SPACE FOR EACH COMPANY—OWNED VEHICLE TOTAL REQUIRED = TBD  THE INDUSTRY STANDARD FOR THE TYPE OF USE BEING CONSIDERED IS 1 SPACE PER 500 GROSS SQ. FT.  184,140/500 = 368.3 SPACES TOTAL REQUIRED: 369 SPACES	369 SPACES	NO
MINIMUM ADA PARKING SPACES REQUIRED	8 SPACES	8 SPACES	NO
MINIMUM PARKING DIMENSIONS	9 FEET X 18 FEET	9 FEET X 18 FEET	NO
LOADING REQUIRED	INDUSTRIAL BUILDING  1 SPACE PER EVERY 40,000 S.F.OF FLOOR AREA TOTAL REQUIRED: 5 SPACES	27 LOADING DOORS 30 TRAILER PARKING	NO
MINIMUM LOADING DIMENSIONS	10 FEET X 30 FEET	13.5 FEET X 60 FEET	NO
MINIMUM AISLE WIDTH	24 FEET – 2-WAY 16 FEET – 1-WAY	24 FEET – 2-WAY	NO
MINIMUM PARKING AREA LANDSCAPING	15 S.F. OF INTERIOR LANDSCAPING PER PARKING SPACE (368 X 15 S.F.) TOTAL REQUIRED: 5,520 S.F.	17,030 S.F.	NO

10 PERCENT

MINIMUM 6 FEET WIDE MINIMUM 100 S.F.

MINIMUM INTERIOR LANDSCAPING

MINIMUM LANDSCAPE ISLAND



12.8 PERCENT

9 FEET WIDE 135 S.F.

NO

NO



100 Constitution Plaza 10th Floor Hartford, CT 06103 (860) 249-2200

SED LIGHT MANUFACTURING
294-2 FLANDERS ROAD
EAST LYME, CONNECTICUT

C2302349-10-4.2.1

SITE LAYOUT

**SK-1**